

Partnership for Work, Health and Safety



gender/sex differences in work disability duration



Mieke Koehoorn

School of Population and Public Health University of British Columbia Vancouver, Canada







differences in workers' compensation outcomes

- claim proportions, rates and trends over time
- more women in a wider variety of occupations and industries
- difference in work and health care experiences.....







research opportunity

- 30 years of BC workers' compensation claim data
 - Secure and confidential



- 93% coverage of the workforce
- policy relevance





questions

Does the duration of workers' compensation claims differ for men and women?

Does this difference persist for workers in the same occupational group and for the same type of injury?






overview

- Short-term disability claims, 10 years
- Half a million claims, one-third females
- Wage-loss days, one year post injury
- Quantile regression (median days)
 - compare different groups in distribution
- Stratified by males and females
 - Type of injury and occupational groups







is there a difference in work disability duration?





by occupational group for MSK strains....







by occupational group for fractures.....







by health care occupations for MSK strains....





by resource occupations for MSK strains....







by resource occupations for MSK strains....





by health care occupations for fractures....





by resource occupations for fractures....







by resource occupations for fractures....




by health care occupations for back strains....







by health care occupations for back strains....





by resource occupations for back strains....






by resource occupations for back strains....







by health care occupations for arm fractures...




by resource occupations for arm fractures....





by resource occupations for arm fractures....




a persistent difference....

- severity of injuries....?
- different health care, rehabilitation experiences...?
- different return-to-work opportunities...?
- work/home experiences....?
- other thoughts for further investigation...









Early childhood & education

Medical Services Plan (BC Ministry of Health)

PharmaCare (BC Ministry of Health)

Hospital Separations (BC Ministry of Health)

Home & Community Care (BC Ministry of Health)

Mental Health (BC Ministry of Health)

Registry Data (BC Cancer Agency) Consolidation File (MSP Registration & Premium Billing) (BC Ministry of Health)

Births (BC Vital Statistics Agency)

Stillbirths (BC Vital Statistics Agency)

Marriages (BC Vital Statistics Agency)

Deaths (BC Vital Statistics Agency)

Cadastral Data (Integrated Cadastral Information Society)

WorkSafeBC Claim Files (WorkSafeBC)

WorkSafeBC Firm Level Data (WorkSafeBC)

Early Development Instrument (HELP)

Middle Years Development Instrument (HELP)

Perinatal Services Canadian Community Health Survey Cardiac Services BC BC Ambulance College of Physicans & Surgeons BC

Citizenship & Immigration Canada

WorkSafeBC Exposure Data BC Assessment

Children in Care Child Protection Childcare Licensing BC K-12 Student Standard Testing School & District

Partnership for Work, Health and Safety

www.pwhs.ubc.ca



